

Dejean, herre François Marie Juguste

ICONOGRAPHIE


ET

HISTOIRE NATURELLE

DES COLÉOPTÈRES D'EUROPE.


CORBEIL, IMIRIMERIE DE CRÉTÉ.

CICINDÉLÈTES.



- 1 Manticora Maxillosa.
- Oxycheila Bipustulata . Iresia Lacordairei
- Megacephala Quadrisignata. 4 In 5 Dromica Coarctata

CICINDELA.



- 1. C. Maura.

- 2. C. Nigrita.

 6. C. Hybrida.


 3. C. Campestris.

 7. C. Riparia.


 4. C. Desertorum.

 8. C. Fransversahis.
- 5. C. Concolor.

P. Dumenil Finait et Direxit .



CICINDELA





1. C. Maritima.

2. C. Sylvicola.
5. C. Tricolor.
4. C. Cœrulea.

5 . C . Sahlbergi. 6 . C . Lateralis.

7. C. Soluta. 8. C. Sylvatica.






- 1 . C . Sinuata.
- 2. C. Trisignata.
 3. C. Lugdunensis.
 4. C. Strigata.
- 5. C. Chiloleuca.
- 6. C. Besseri.
- 7 . C . Volgensis . 8 . C . Dilacerata .

P. Dumenil Linxit et Direxit



CICINDELA.



 1 . C . Circumdata.
 5 . C . Flexuosa.

 2 . C . Goudotii.
 6 . C . Distans.


 5 . C . Fischeri.
 7 . C . Zwichii.

 4 . C . Littoralis.
 8 . C . Stevenii.

P. Dumenil Pinxit et Diresit.


estate some state of

CICINDÉLÈTES.




- 1. Cicindela Scalaris.
- C .
- 5. C. Gracilis.
- 4. Euprosopus Quadrinotatus. 8. Colliuris Modesta.
- 5. Ctenostoma Bifasciatum.
- Germanica. 6. Therates Basalis.
 - 7. Tricondvla Cvanipes.

P. Dumenil Pinxit et Direxit




TRONCAPIPENNES.




- 1 Casnonia Inæqualis.
- 2 Odacantha Melanura.
- 5 Cordistes Bieinetus.
- 4 Drypta Emarginata. 8 ______
- 5 Drypta Cylindricollis.
- 6 Galerita Geniculata

 - , 7 Polistichus Fasciolatus 8 _____ Discoideus




TRONCATIPENNES.



- 1. Zuphium Olens. 5. Cymindis Discoidea.
 2. Aora Splendida. 6. Lateralis.
 5. Euchevla Flavilabris. 7. Humeralis.
 4. Cymindis Cruciata. 8. Dorsalis.

P. Dumenil Pinxit et Dirext



CYMINDIS.


















- 1. C. Lineata. 5. C. Melanocephala.
- 2 . C . Homagrica . 6 . C . Axillaris . 5 . C . Cingulata . 7 . C . Angularis . 4 . C . Coadunata . 8 . C . Macularis .

P. Dumenil Pinxit et Direxit .



CYMINDIS.




- 1. C. Rufipes.
- 2. C. Binotata.
- C. Pŭnetata.
 C. Immaculata.
 C. Faminii.
- 5. C. Pilosa.
- 6. C. Miliaris.

P. Duménil Pinxit et Direxit



TRONCATIPENNES.




- 1. Calleida Fasciata.
- 2 · Ctenodactyla Chevrolatii ·
- 3 . Dromius Longiceps .
- 4. ____ Linearis .

- 5. Dromius Melanocophalus.
- 6 . _____ Sigma . ____ Quadrisignatus . 8 . ____ Bifasciatus .

P. Duménil Pinxit et Direxit



DROMIUS.




- 1. D. Fasciatus.
- 2. D. Quadrinotatus.
- 3. D. Scapularis.
- 4. D. Quadrimaculatus.
- 5. D. Fenestratus.
- 6. D. Agilis.
- 7. D. Meridionalis.
- 8. D. Marginellus.

P . Dumenil Pinxit et Direxit .



DROMIUS.




- 1. D. Glabratus.
- 2. D. Corticalis.
- 5. D. Pallipes.
- 4. D. Spilotus.

- 5 . D . Punctatellus .
- 6. D. Truncatellus.
- 7. D. Quadrillum.
- 8 . D . Albonotatus .


P. Dumenil Pinxit et Direxit .






- ı . Demetrias Imperialis .
- 2 Unipunctatus
- 5 . ____ Atricapillus . 4 . ____ Elongatulus .
- 5. Lebia Fulvicollis.
- 6. ____ Cyanocephala
- 7 · ___ Chlorocephala · 8 · ___ Rufipes ·

P. Dumenil Pinvit et Direxit



LEBIA.



- 1. L. Trimaculata.
- 2 . L . Cvathigera.
- 3. L. Cruxminor.
- 4. L. Nigripes.

- 5 . L . Turcica .
- 6 . L . Quadrimaculata.
- 7 . L . Humeralis .
- 8 . L . Hamorrhoidalis.

P. Dumenil Pinxit et Direxit.





- 1. Plochionus Bonfilsii.
- 2. Coptodera Depressa.
- 3 · Aptinus Ballista ·
- 4 · ____Mutilatus .
- 5. Aptinus Atratus.
 - 6. _____ Alpinus .
- 7 · _____Pyrenæus · 8 · _____Jaculans ·

P. Dumenil Pinxit et Direxit.


er server i i

-3

confining of the

. notice labor


BRACHINUS.



- 1. B. Hispanicus.
- 2 . B. Causticus.
- 3. B. Nigricornis.
- 4. B. Crepitans
- 5. B. Immaculicornis.
- 6. B. Etslans.
- 7 · B · Explodens ·
- 8 . B . Glabratus .

P. Dumenil Pinwit et Direvit .







- 1. Brachinus Psophia. 5. Brachinus Exhalans.

- 2.
 Bombarda.
 6.
 Cruciatus

 3.
 Sclopeta.
 7.
 Thermarum.


 4.
 Bipustulatus.
 8.
 Corsyra Fusula.





- 1 Orthogonius Curvipes.2 Axinophorus Lecontei.
- 3. Helluo Grandis.
- 4. Catascopus Brasiliensis.
- 5. Graphipterus Barthelemyi.
 - 6. Anthia Marginata.






- Enceladus Gigas .
 Siagona Europæa .
- 3. Siagona Oberleitneri.
- 4. Scarites Pyracmon.
- 5. Scarites Bucida.

P. Dumenil Pinxit et Direxit



SCARITES.




- 1. S. Polyphemus.
- 2. S. Salinus.
- 5. S. Planus.

- 4. S. Arenarius.
- 5. S. Terricola.
- 6. S. Lævigatus.

P. Duménil Pinxit et Direvit .







- 1. Acanthoscelis Ruficornis.
- 2 · Pasimachus Subsulcatus ·
- 5. Scapterus Guerini.

- 4 . Oxystomus Cylindricus .
- 5. Oxygnathus elongatus.
- 6. Camptodontus Cavennensis.
- 7. Morio Simplex.

P. Duménil Pincit et Direcit.



CLIVINA.




- 1. C. Arenaria.
- 2. C. Ypsilon.
- 5. C. Arctica.

- 4. C. Nitida.
- 5. C. Polita.
- 6. C. Cylindrica.

P. Duménil Pinwit et Direvit .



CLIVINA.




- 1. C. Ænea.
- 2. C. Punctata.
- 5 . C . Pusilla .

- 4. C. Fulvipes.
- 5. C. Thoracica.
- 6. C. Digitata.

P. Duménil Pinxit et Direxit .







- 1. Clivina Semistriata.
- 2. ____ Rufipes .
- 3. ____ Gibba.

- 4. Ozwua Lævigata.
- 5. Apotomus Rufus.
- 6. _____ Testaceus .


P. Duménil Pinxit et Direxit .






- Carterus Interceptus.
- Ditomus Calydonius. 2.
- _____ Cornutus . 5.
- 5. Ditomus Dama.
- _____ Pilosus .
- _____ Fulvipes _____ Distinctus .
- 8.

P. Dumenil Pinxit et Direvit.




DITOMUS.




- 1. D. Robustus.
- 2 . D . Cyaneus .
- 3. D. Capito.
- 4. D. Obscurus.

- 5. D. Sulcatus.
- 6. D. Eremita.
- 7. D. Nitidulus.
- 8. D. Sphærocephalus.

P. Duménil Pinxit et Direvit.



CYCHRUS.



1 . C . Angustatus .

2 . C . Italicus .

5. C. Elongatus.

4. C. Rostratus.


5. C. Semigranosus.

6. C. Attenuatus.

P. Dumenil Pinxit et Direxit.



SIMPLICIPÈDES.




- 1. Cychrus Æneus
- 3 · Scaphinotus Elevatus ·
- 2. Sphæroderus Lecontei . 4. Pamborus Alternans .

 - Tefflus Megerlei

P. Dumenil Pinxit et Direxit




PROCERUS.




P. Scabrosus.

P. Duménil Pinxet et Direxit



PROCERUS.




P. Olivieri.

P Duménil Pinwit et Direwit




PROCERUS.




- 1. P. Taurieus.
- 2. P. Caucasicus.

P. Dumenil Pineit et Direcit .



PROCRUSTES.




- 1. P. Coriaceus.
- 2 . P . Spretus .


- 3. P. Rugosus.
- 4 . P. Foudrasii.




SIMPLICIPEDES.



- 1. Procrestes Gracus.
- 2 · _____ Cerişyi ·
- 5 . Procrustes Banonii .
 - 4. Carabus Calatus.






- 1. C. Dalmatinus.
- 2. C. Croaticus.
- 5. C. Illigeri.
- 4. C. Kollari.


P. Daménil Pinxit et Direxit .







- 1. C. Scheidleri.
- 2. C. Prevssleri.

- 3. C. Rothii.
- 4. C. Excellens.










- 1. C. Erythromerus. 3. C. Scabriusculus.
- 2. C. Estreicheri.
- 4. C. Lippii.

P. Duménil Pincit et Direcit .









- t. C. Mannerheimii.
- 2. C. Sahlbergi.

- 5. C. Henningii.
 - 4. C. Leachii.








- 1. C. Regalis.
- 2. C. Herrmanni


- 5. C. Eeuginosus.
- 4. C. Ereus.





- 1. C. Eschscholtzii.
- 2. C. Burnaschevii.
- 5. C. Maurus.
- 4. C. Kruberi.







- 1. C. Mac Leavi.
- 2 C. Vietinghovii.

- 3. C. Faminii.
- 4. C. Alyssidotus.

P. Danenil Pineit et Breevit .






- 1. C. Mollii.
- 2. C. Rossii.

- 5. C. Catenulatus.
- 4 . C . Herbstii .

P. Duménit Pinxit et Divevit .






- 1. C. Catenatus.
- 2. C. Dufourii.

- 3. C. Parreyssii.
- 4. C. Monilis.

P. Dianenil Pinvit et Direvit .






- 1. C. Conciliator.
- 2. C. Arvensis.

- 5. C. Faldermanni
- 4. C. Varians.


P. Duménil Pinett et Direct






- 1. C. Cumanus.
- 2. C. Bilbergi.

- 3. C. Euchromus.
- 4. C. Vagans.







- 1. C. Italicus.
- 2. C. Gebleri.

- 5. C. Castillianus.
- 4. C. Macrocephalus.

P. Dumenil Pinxit et Direxit .








- 1. C. Lusitanicus.
- 2. C. Antiquus.

- 5. C. Latus.
- 4. C. Complanatus.


P. Dumenil Pincil et Direxit .






- L. C. Brevis.
- 2. C. Helluo.

- 3. C. Alternans.
- 4. C. Celtiberieus.







- ı. C. Barbarus.
- 2. C. Cancellatus.

- 3. C. Emarginatus.
- 4. C. Graniger.








- 1. ('. Intermedius.
- 2. C. Morbillosus.

- 5. C. Palustris.
- 4. C. Tuberculosus.













- 1. C. Mæander.
- 2. C. Granulatus.

- 5. C. Menetriesi.
- 4. C. Clathratus.


P. Dumenil Lincit et Direcit .









- 1. C. Nodulosus.
- 2. C. Smaragdinus.
- 5. C. Panzeri.
- 4. C. Montivagus.









1. C. Auratus.

5. C. Punctatoauratus.

2. C. Lotharingus.


4 C. Farmesi.






- 1. C. Festivus.
- 2. C. Escherii.

- 3. C. Lineatus.
- 4. C. Auronitens.






- 1. C. Solieri.
- 2. C. Nitens.

- 3. C. Canaliculatus.
- 4. C. Melancholicus.


P. Dumenil Pinxit et Direvit .






- t. C. Exaratus
- 2. C. Dejeanii.


- 3. C. Purpurascens
- 4 . C. Imperialis.






- 1. C. Schönherri.
- 2. C. Stæhlini.

- 3. C. Exasperatus.
- 4. C. Azurescens.



CARABUS,




- 1. C. Germarii.
- 2. C. Violaceus.

- 3. C. Aurolimbatus.
- 4. C. Neesii.


P. Dumenil Pinwit et Direwit .






- 1. C. Marginalis.
- 2. C. Glabratus.


- 3. C. Cribratus.
- 4. C. Perforatus.







- 1. C. Mingens.
- 2. C. Vomax.

- 3. C. Hungaricus.
- 4. C. Græcus.









- 1. C. Trojanus.
- 2. C. Bessarabicus.
- 5 . C . Fossulatus .
- 4. C. Bosphoranus.








- 1. C. Sibiricus.
- 2. C. Obsoletus.

- 3. C. Besseri.
- 4. C. Campestris.









- 1. C. Hortensis.
- 2. C. Monticola.

- 3. C. Dilatatus.
- 4. C. Convexus.

P. Dumenil Pinwil et Direvit .










- 1. C. Hornschuchii.
- 2. C. Vladsimirskvi.

- 3. C. Preslii.
- 4. C. Gemmatus.

P. Duménil Pinait et Direcit










- r. C. Hoppii.
- 2 . C . Sylvestris .

- 5. C. Alpinus.
- 4. C. Latreillei.

P. Dumenil Pinxit et Direxit








1. C. Loschnikovii.


2. C. Linnei.

3. C. Splendens.

4. C: Viridis.

P. Dumenil Pinxit et Direvit .





1. C. Rutilans.

2. C. Hispanus


3. C. Cvaneus.

4. C. Lefebvrei.

P. Dumenil Pinxit et Direxit .



CARABUS.




- 1. ('. Creutzeri.
- 2. C. Depressus.

- 5. C. Bonellii.
- 4. C. Osseticus.

P. Dumenil Pinxit et Direcit .




CARABUS.




- L. C. Deplanatus.
- 2. C Fabricii.

- S.C. Bæberi.
- 4. C. Irregularis.

P. Dumenil Pinvit et Direvit



SIMPLICIPÈDES.





- L. Carabus Pyrenæus.
- 2. Calosoma Sycophanta.
- 3. Calosoma Inquisitor.
 - 4 . _____ Auropunctatum .

P. Dumenil Pinxit et Direxit .



CALOSOMA.







- 1. C. Indagator.
- 2 C. Sericeum.

- 3. C. Reticulatum.
- 4. C. Panderi.



LEISTUS.






- 1. L. Spinibarbis.
- 2. L. Fulvibarbis.


- 3. L. Rufomarginatus.
- 4 · L · Nitidus ·

P Dumenil Pinxit et Direxit .



LEISTUS.






- 1. L. Spinilabris.
- 2 . L . Terminatus.

- 3. L. Analis.
- 4. L. Angusticollis.

P. Dumenil Pinxit et Direxit .



NEBRIA.




1. N. Arenaria.

2. N. Sabulosa.


3. N. Lateralis.

4 · N. Psammodes ·

P. Dumenil Pinxil et Direxit .



NEBRIA.





- 1. N. Picicornis.
- 2. N. Catenulata.

- 3. N. Nitidula.
- 4. N. Ænea.

P. Dumenil Pinxit et Direcit.









1 . N . Brevicollis . 3 . N . Gyllenhalii .

2 . N . Arctica .

4 . N. Nivalis .

P. Dumend Linxit et Direct






ı . N . Heegeri . 3 . N . Heydemii .

2 N . Jokischii.

4 N Krateri

L. Dumenil Pinxit et Direxit.






1 . N . Dahlii . 3 . N . Rubripes .

2 . N Tibialis .

4 N. Ohvieri

P. Duméral Pinxet et Direxet






ı. N. Reichi.


3 N. Lafrenąvei.

2. N. Laticollis.

4 . N. Foudrasii .

L'Dionenil Lineat et Direccit .






ı. N. Hellwigii. 3. N. Dejeanii.


2 . N . Stigmula .

4 . N. Transylvanica

L. Domenil Proxit et Direxit




NEBRIA .




- 1. N. Picea.
- 2 . N . Castanea .

- 3 . N. Brunnea.
- 4 . N . Atrata .

L' Dignéral Fraxet et Direcet



NEBRIA.





- 1 . N . Angustata .
- 2 . N. Angusticollis .

- 3 , N . Intricata .
- 4. N. Marschallii .




SIMPLICIPEDES .







- 1. Nebria Schreibersii. 3. Omophron Variegatum.
- $\it z$. Omophron Limbatum . $\it 4$. Pteroloma Forsströmii .



SIMPLICIPEDES .






- 1 , Pelophila Borealis
- 2 , Blethisa Multipunctata
- 3 . Blethisa Eschscholtzii .
- 4 . B _____ Artica .




SIMPLICIPEDES.




- 1 Metrius Contractus .
- 3 Elaphrus Cupreus.
- 2 Elaphrus Uliginosus.
- 4 E ____Arcticus .

P Dumenul Provit et Direxit .




ELAPHRUS.





- 1. E. Splendidus
 - picuaidus .
- 2 . E . Lapponicus .

- 3. E. Riparius.
- 4 . E . Littoralis .



NOTIOPHILUS .







 $_{1}$. N . Aquaticus . 5 . N . Quadripunctatus .

 $2 \cdot N$. Biguttatus . $4 \cdot N$. Géminatus .


P. Dumend Pinxet et Direxet






- ı . Eurysoma Festivum . 3 . Panagæus Quadripustulatus .
- 2 . Panaĝaus Crux major . 4 . P _____ Trimaculatus .

L. Dumenil Pinocit et Direvit






- 1. Geodius Pubescens.
- 2 . Loricera Pilicornis .
- 5. Callistus Lunatus.
- 4 . Vertagus Buquetii .

P. Dumenil Pinxit et Direxit .




EHLÆNIUS.



- ı , C . Velutinus ,
- 2 . C . Festivus .

- 3. C. Borgiæ.
 - 4 , C , Spoliatus.





- 1. C. Agrorum.
- 2. C. Terminatus.

- 3. C. Extensus.
- 4. C. Vestitus.


•

.

.

•

CHLENIUS.





- ı. C. Pallipes.
- 2. C. Sebrankii.

- 3. C. Melanocornis.
- 4. C. Nigricornis.

P. Dumenil Privat et Direcut








- 1 . C . Tibialis .
- 2. C. Nigripes.

- 5. C. Dives.
- 4. C. Holosericcus.

P . Dumenil Pinceit et Direceit .


iforme statutely





- 1. C.Sulcicollis
- 2. C. Cælatus.


- 3. C. Quadrisulcatus.
- 4. C. Chrysocephalus.


P. Dumenit Pinxit etDirexit .













- 1. C. Eneocephalus.
- 2. C. Gracilis.

- 3. C. Azureus.
- 4. C. Cœruleus.

P.Duneml Purvit et Direvet .






- 1 . Epomis Circumscriptus .
- 2 . ____ Dejeanii .

- 5 . Dinodes Rufipes.
- 4 . ____ Maillei .

P. Dumenil Pinwit et Direxet






- 1. Chlænius Steveni.
- 2. Oodes Helopioides.
- 3 Oodes Hispanicus
- 4. Rembus Latifrons.

P. Duménil Pincit et Direcit.



and the state of t

LICINUS.




- 1 . L . Agricola.
- 2 . L . Silphoides .

- 5 . L . Granulatus .
- 4 . L . Siculus .

P. Dumenil Pinxit et Direxit.



LICINUS.




J. L. Peltoides.

2 . L . Æquatus .

5, L, Cassideus.

4. L. Depressus.

P. Dumenil Pinxit et Direxit .



- 1 . Licinus Hoffmanseggii .
- 2. ____Oblongus.
- 3 . Dicælus Dejeanii .
 - 4 . Badister Cephalotes .

L. Dumenil Pinxit et Direcit .



BADISTER.




- 1. B. Bipustulatus.
- 2. B. Lacertosus.

- 5. B. Peltatus.
- 4. B. Humeralis.

P. Duménil Pinxit et Direvit .



FÉRONIENS.




- 1. Stenomorphus Augustatus.
- 2. Omphreus Morio

- 3. Melanotus Flavipes.
- 4. Baripus Speciosus.

P. Duménil Pinxet et Direxit .




POGONUS.




- 1. P. Pallidipennis.
- 2. P. Flavipennis.
- 3. P. Luridipennis.

- 4. P. Fulvipennis.
- 5. P. Iridipennis.
- 6. F. Littoralis.

P. Dumenil Pinxet et Direvit .




POGONUS.



- 1. P. Halophilus.
- 2. P. Viridanus.
- 5. P. Gilvipes.


- 4. P. Riparius.
- 5. P. Orientalis
- 6. P. Meridionalis.






- 1. Pogonus Punctulatus. 4. Pogonus Testaccus.

- 5. P. _ Raforencus 6. Cardiaderus Chloroticus.






- 1. Patrobus
- Rufipes.
- 2 .
 - _ Septentrionis.
- 5. _ _ Depressus.

- 4. Patrobus Rufipennis.
- 5. Dolichus Flavicornis.
- 6. idem Variété.

P. Duménil Pinxit et Pirexit




PRISTONYCHUS.




- 1. P. Terricola.
- 2. P. Punctatus .
- 3. P. Cimmerius.

- 4. P. Tauricus .
- 5. P. Oblongus .
- 6. P. Angustatus.

P. Duménil Pinxit et Direxit




PRISTONYCHUS.




- 1. P. Elongatus.
- 2. P. Dalmatinus .
- 5. P. Cœruleus..


- 4. P. Amethystinus.
 - 5. P. Janthimus.
 - 6. P. Alpinus .

P. Duménil Pinxit et Direxit.






- 1. Pristonychus Chalybeus.
 - Cyanipennis.
- 3. ____Complanatus.
- 4. Pristonychus Elegans.
- 5 _____ Venustus.
- 6. Calathus Giganteus.




CALATIFUS.




- 1. C. Ovalis.
- 2. C. Latus.
- 3. C. Greens.

- 4. C. Cisteloides.
- 5. C. Glabricollis.
- 6. C. Luctuosus.

P. Duménil Pinxit et Direxit




CALATHUS




- 1. C Rubripes.
- 2. (Montivagus.
- 5 C. Fulvipes.

- 4. C. Fuscus.
- 5. C Limbatus.
- 6. C. Metallicus.




CALATHUS.




- 1. C. Rotundicollis.
- 2. C. Elongatus.
- 3. C. Microcephalus.

- 4. C. Ochropterus.
- 5. C. Melanocephalus.
- 6. C. Alpinus.

P. Duménil Pinxit et Direxit .



MORMOLYCE




M. Phyllodes.

P.Duménil Pinxit et Direxil .





SPHODRUS.



- 1. S. Planus.
- 2. S. Picicornis.
- 5. S. Laticollis.


- 4. S. Tilesii.
- 5. S. Parallelus.
- 6. S. Longicollis.






- 1. Pristodactyla Americana.
- 2. Taphria Vivalis.
- 3. Platynus Elongatus.
- 4. Platynus Complanatus .
- 5. _____Depressus .
- 6. _____ Scrobiculatus.

P. Duménil Pinxit et Direvit




ANCHOMENUS.




- 1. A. Longiventris.
- 2. A. Mannerrheimii.
- 3. A. Angusticollis.

- 4. A. Cyaneus.
- 5. A. Memnonius

P. Duménil Linxit et Direvit.




ANCHOMENUS.




- 1. A Prasimus.
- 2. A Melanocephalus.
- 3. A Pallipes .

- 4. A Oblongus.
- 5. A Bicolor.

P. Duménit Pinxit et Direxit.




AGONUM.




- 1. A. Marginatum.
- 2. A. Impressum.
- 3. A. Austriaeum .

- 4. A. Modestum.
- 5. A. Sexpunctatum.
- 6 A. Bifoveolatum.

P. Duménil Pinxit et Direxit .




AGQNUM.




- 1. A. Parumpunctatum.
- 2. A. Elongatum.
- 5. A. Olivaceum.

- 4. A. Latipenne.
- 5. A. Triste.
- 6. A. Viduum.

P. Duménil Linxit et Direccit .




AGONUM.




- 1. 1. Læve.
- 2. A. Lugens.
- 5. A. Emarginatum.
- 4. A. Lugubre.
- 5. A. Sordidum.
- 6. A. Carbonarium.

P. Duménil Pinxít et Direxil .



AGONUM.




- 1. A Angustatum.
- 2. A. Nigrum.
- 3. A. Subæneum.

- 4. A. Pelidnum.
- 5. A. Scitulum.
- 6. A. Gracile.

P. Duménil Pinvit et Direxit .



AGONUM.




- 1. A Fuliginosum.
 - 2. A Picipes .
 - 5. A Thoreyi .

- 4. A. Puellum.
- 5. A. Quadripunctatum
 - 6. A. Bogemanni.

P. Duménil Pinxit et Pirexit.



OLISTHOPUS.




- 1. O. Rotundatus .
- 2. O. Hispanicus.
- 5. O. Punetulatus




- 4. O. Fuscatus .
- 5. O. Sturmii.

P. Duménil Pincit et Direvit .




FÉRONIENS



Catadromus Tenebrioides. 1 Trigonotoma Planicollis


3. Lesticus Janthinus .

P. Duménil Pinvit et Direvit.




FÉRONIENS.






- 1. Distrigus Impressicollis . 3. Drimostoma Striatocolle .
- 2. Abacetus Gagates . 4. Microcephalus Depressicollis.

P. Duménil Pinxit et Direxit .







- 1. F. Punctulata.
- 2. F. Cuprea.
- 3. F. Cursoria .

- 4. F. Dimidiata.
- 5. F. Crenulata.

P. Dumenil Pinxit et Direxit.







- 1. F. Viatica.
- 2. F. Lepida.
- 3. F. Gebleri.

- 4. F. Gressoria.
 - 5. F. Striatopunctata.

P. Duménil Pinxil et Direxit.






- 1. F. Infuscata.
- 2. F. Crenata.
- J. F. Lugubris.

- 4. F. Nitida.
 - 5. F. Puncticollis.
 - 6. F. Rugosa.

P. Duménil Pinxit et Direxit .






- 1. F. Virnalis.
- 2. F. Rubripes.
- 5. F. Negligens.

- 4. F. Inquieta.
- 5. F. Sturmii.
- 6. F. Erudita.

P. Duménil Pinxit et Direvit







- 1. F. Strenua.
- 2. F. Pulla.
- 3. F. Pusilla.

- 4. F. Amena.
- 5. F. Pumilio.
- 6. F. Lusitanica.

P. Dumenil Pinxit et Direxit.






- ı. F. Depressa
- 2. F. Rufa
- 3. F. Hispanica

- 4. F. Barbara
- 5. F. Spadicea
- 6 F. Subsinuata

P. Dumenil Linwit et Direwit







- 1. F. Unctulata
- 2. F. Apennina
- 3. F. Amaroides

- 4. F. Abaxoides.
- 5. F. Striaticollis


P. Duménil Linxit et Direxit .






- 1. F. Cophosioides
- 2. F. Pennata
- 3 E. Melanaria

- 4. F. Esehseholtzii
- 5. F. Melas







- 1. F. Hungarica
- 2. F. Altaica
- 5. F. Magus

- 4. F. Nigrita
- 5. F. Anthracina

P. Duménil Pinxit et Direxit








- 1. F. Gracilis.
- 2. F. Minor:
- 5. F. Elongata


- 4. F. Meridionalis.
- 5. F. Aterrima .
- 6 E Nigervima

P. Duménil Linxit et Direxit











- 1. F. Concinna.
- 2. F. Madida.

- 3 F Hoffmanseggu
- 4. F. Gagatina


P Duménil Pinxit et Direxit








- 1. F. Globosa.
- 2. F. Mannerheimii.
- 3. F. Æthiops


- 4. F. Rufitarsis
- 5 F. Illigeri













- 1. F. Picimana.
- 2. F. Graja .

- 3. F. Cognata.
- 4. F. Extensa.


P. Dumenil Pinxil of Direxit.






- 1. F. Marginepunctata.
- 2. F. Edura.

- 3. F. Maura.
- 4. F. Tamsii








- 1. F. Findelii
- 2. F. Oblongopunctata.
- 3. F. Angustata.

- 4. F. Vitrea.
- 5. F. Frigida.

P. Dumonil Pinxet et Direxit .








- i. F. Magna.
- 2. l' Cylindrica.

- 3. F. Filiformis.
- 4. F. Duponchelii.

P. Duménil Pinxit et Direxit.






- ı. F. Nigra.
- 2. F. Fascialopunctala.
- 5. F. Parumpunctata.

- 4. F. Honnoratii.
- 5. F. Rufipes.

P. Duménil Pinxit et Direxit



FEROINA.




- 1. F. Femorata.
- 2. F. Dufourii.
- 3. F. Truncata.

- 4. F. Obscura.
- 5. F. Panzeri.

P. Dunénil Pinvit et Direvit .

i




- 1. F Ziegleri.
- 2. F. Flavofemorata.
- 3. F. Pinguis.

- 4. F. Cribrata.
- 5. F. Drescheri.

P. Dumenil Pinvit et Direvit







- 1. F. Rutilans.
- 2. F. Welensii
- 3. F. Variolata.

- 4. F. Fossulata.
- 5 . F. Klugii


P. Dumonil Pinxit et Direcit.






- 1. F. Selmanni.
- 2. F. Prevostii.
- 5. F. Natartii.

- 4. F. Jurinei.
- 5. F. Externepunctata.





- 1. F. Multipunctata.
- 2. F. Spinolæ.
- 3. F. Yvanii.

- 4. F. Muhlfeldii,
- 5. F. Metallica.
- 6. F. Transversalis.

P. Dumenit pina:

Dupreet se

45


relation

't s

(01.110

PICES T


. . . .





2. F. Pyrenæa.

3. F. Exarata.




4. F. Oblonga.

5. F. Parallelepipeda.


6. F. Lata.





- 1. F. Carinata.
- 2. F. Ovalis.
- 4. F. Beckenhauptii.
 - 5. F. Interrupta.
- 3. F. Parallela. 6. F. Schuppelii.







- 1. F. Corsica.
- 2. F. Genei.
- 3. F. Passerinii.
- 4. F. Bilineata.
- 5. F. Plicata.

unin in t

mont . , t




- 1. F. Stricta.
- 2. F. Loricata.
- 3. F. Paykullii.
- 4. F. Dejeanii
- 5. F. Lacertosa.








- r F. Sicula.
- 2 F. Oberleitneri
- 3 F. Stulta

- 4. F. Polita.
- 5. F. Navarica.











- 1 F. Striolata.
- 2. F. Robusta.
- 3. F. Dalmatina.
- 4. F. Alpestris.







- 1. F. Elata.
- 2. F. Bucephala.
- 3. F. Longicollis.
- 4. F. Terricola.
- 5. F. Spinicollis.




FÉRONIENS.






- 1. Camptoscelis Hottentetta.
- 2. Mvas Chalvbeus.

- 3. Cephalotes Vulgaris.
- 4. idem Politus.




FÉRONIENS.




- 1. Stomis Pumicatus.

- 4. Rhathymus Carbonarius.
- 2. ____ Rostratus. · 5. Pelor Blaptoides.
- 3. Abaris Enca.




ZABRUS.



- 1. Z. Femoratus.
- 2. Z. Gravis.
- 3. Z. Silphoides.
- 4. Z. Marginicollis.
- 5. Z. Curtus.




ZABRUS.



- 1. Z. Inflatus.
- 2. Z. Obesus.
- 3. Z. Fontenavi.
- 4. Z. Græcus.
- 5. Z. Incrassatus.




ZABRUS.





- 1. Z. Pinguis.
- 2. Z. Orsinii.
- 3. Z. Piger.
- 4. Z. Gibbus.
- 5. Z. Aurichalceus.





- 1. A. Eurypota.
- 2. A. Obsoleta.
- 5. A. Similata.
- 4. A. Saphyrea.
- 5. A. Vulgaris.6. A. Trivialis.






- 1. A. Spreta.
- 2. A. Plebeja.
- 3. A. Communis.
- 4. A. Tricuspidata.
- 5. A. Curta.
- 6. A. Familiaris.

· Magazine


500

i Sterentopoured :




- 1. Λ. Perplexa.
- 2. A. Tibialis.
- 3. A. Interstitialis.
- 4. A. Punctulata.
- 5. A. Rufipes.
- 6. A. Striatopunctata.





- 1. A. Monticola.
- 2. A. Quenselii.
- 3. A. Modesta.
- 4. A. Brunnea.
- 5. A. Lapponica.
- 6. A. Rufocineta.






- 1. A. Bifrons.
- 2. A. Sabulosa.
- 3. A. Montana.
- 4. A. Affinis.
- 5. A. Glabrata.
- 6. A. Granaria.

•

1 -


·



- 1. A. Infima.
- 2. A. Rotundata.
- 5. A. Brevis.
- 4. A. Simplex.
- 5. A. Eximia.
- 6. A. Dalmatina.


1111 200 10 10


2000 to 111: 11 3 0



- 1. A. Metallescens.
- 2. A. Complanata.
- 3. A. Fusca.


- 4. A. Ingenua.
- 5. A. Rufoænea.
- 6. A. Ruficornis.






- 1. A. Consularis.
- 2. A. Pastica.
- 3. A. Patricia.
- 4. A. Zabroides.
- 5. A. Sicula.







- 1. A. Nobilis.
- 2. A. Cardui.
- 3. A. Apricaria.
- 4. A. Crenata.
- 5. A. Cuniculina.












- 1. A. Alpicola.
- 2. A. Fulva.
- 3. A. Aurichalcea.
- 4. A. Harpaloides.
- 5. A. Gebleri.





- 1. A. Aulica:
- 2. A. Convexiuscula
- 3. A. Fodinæ.
- 4. A Torrida.
- 5. A Alpina.

August Innettentlis


name of same

was kat a shift

4 lateretin Cornelles.

-1931 2 41 1 variables il


FÉRONIENS.



- 1. Amara Puncticollis.
- 2. Amara Pyrenæa.
- 3. Lophidius Testaceus.
- 4. Antarctia Carnifex.
- 5. Masoreus Luxatus.



HARPALIENS.




- 1. Pelecium Cyanipes.
- 2. Eripus Scydmænoides.
- 3. Cratocerus Monilicornis.
- 4. Somoplatus Substriatus.
- 5. Daptus Vittatus.
 - 6. Cyclosomus Buquetii.

P. Dumenil pinz.


Dupréel se




HARPALIENS.



- 1. Promecoderus Brunnicornis.
- 2. Axinotoma Fallax.
- 3. Cratacanthus Pensylvanicus.
- 4. Paramecus Cylindricus.
- 5. Cratagnathus Mandibularis.
- 6. Agonoderus Lineola.



ACINOPUS.



- 1. A. Megacephalus.
- 2. A. Ambiguus.
- 3. A. Bucephalus.
- 4. A. Giganteus.
- 5. A. Ammophilus.




HARPALIENS.



- 1. Barvsomus Hæpfneri.
- 2. Amblygnathus Cephalotes
- 3. Platymetopus Quadrimaculatus.
- ${\bf 4.\ Gynandropus\ Americanus\ }.$
- 5. Selenophorus Impressus.
- 6. Scaritides.



ANISODACTYLUS.




- 1. A. Heros.
- 3. A. Pseudoæneus.
- 2. A. Virens.
- 4. A. Signatus.


P. Dumenil pinx .

Dupréel se



ANISODACTYLUS.







- 1. A. Intermedius.
- 2. A. Binotatus.
- 3. A. Spurcaticornis.
- 4. A. Gilvipes.


P. Dumenil pinx .


Dupréel so.



HARPALIENS.












- 1. Bradybænus Scalaris.
- 2. Geodromus Dumolinii
- 3. Hypolithus Saponarius.
- 4. Gynandromorphus Etruscus.






- 1. H. Columbinus.
- 2. H. Sabulicola.
- 3. H. Monticola.
- 4. H. Diffinis.
- 5. H. Obscurus.







- 1. H. Quadricollis.
- 2. II. Oblongius culus.
- 3. II. Ditomoides.
- 4. H. Incisus.
- 5. H. Punctatulus.





- 1. H. Laticollis.
- 2. H. Similis.
- 5. H. Chlorophanus.
- 4. H. Azureus.
- 5. H. Cribricollis.






- 1. H. Cordicollis.
 - 2. H. Subquadratus.
 - 5. H. Meridionalis.
- 4. H. Pumilio.
- 5. H. Rotundatus.
- 6. H. Cordatus.


P Damend por


Confee.






- 1. H. Subcordatus.
- 2. H. Puncticollis.
- 3. H. Brevicollis.
- 4. H. Parallelus.
- 5. H. Complanatus,
- 6. H. Maculicornis.






- 1. H. Signaticornis.
- 2. H. Hirsutulus.
- 5. H. Planicollis.
- 4. H. Mendax.
- 5. H. Germanus.
 - 6. II. Obsoletus.

P.C. ment pur Cotta







- 1. H. Dorsalis.
- 2. H. Chloroticus.
- 3. H. Pallidus.
- 4. H. Ustulatus.
- 5. H. Pubescens.
- 6. H. Stevenii.

P. Dumenil pinx.


Cortié se.





- 1. H. Hospes.
- 2. H. Sturmii.
- 5. H. Ruficornis.
- 4. Il. Griseus.
- J. H. Erosus.
- 6. II. Dispar.







- 1. II. Semipunctatus.
- 2. H. Encus.
- 5. H Confusus.
- 4. H. Oblitus.
 - 5. H. Diversus.
 - 6. H. Distinguendus.

P. Dumenii vina

Corner S







- 1. H. Patruelis. 4. H. Minutus.
- 2. H. Fastiditus. 5. II. Lateralis.
- 3. H. Contemptus.

- 6. H. Cupreus.


P. Dumenil pinx


Corbie se






- 1. H. Honestus.
- 2. H. Impressipennis.
- 3. H. Sulphuripes.
- 4. H. Consentaneus.
- 5. H. Pygmœus.
- 6. H. Goudotii.






- 1. H. Pumilus.
- 2. H. Neglectus.
- 5. H. Decipiens.


- 4. H. Perplexus.
- 5. H. Saxicola.
- 6. H. Siculus.






- 1. H. Incertus.
- 2. H. Punctatostriatus.
- 3. H. Calceatus.
- 4. H. Ferrugineus.
- 5. H. Hottentotta.
- 6. H. Quadripunctatus.







- 1. H. Limbatus. .
- 2. H. Maxillosus.
- 3. H. Luteicornis.
- 4. H. Satyrus.
 - 5. H. Solitaris.
 - 6. H. Marginellus.






- 1. H. Rubripes.
- 2. H. Sobrinus.
- 5. H Salinus.
- 4. H. Zabroides.
- 5. H. Brevicornis.
- 6 H. Hirtipes.







- 1. H. Semiviolaceus.
- 2. II. Hypocrita
- 5. H. Optabilis.


- 4. H. Lumbaris.
- 5. fi. Impiger.
- G. H. Tambrosus.





- 1. H. Solieri
- 2. II. Melancholicus.
- 5. H. Litigiosus.
- 4. H. Ineditus.
- 5. H. Tardus.
- 6. H. Segnis.






- 1. H. Flavicornis.
- 2. H. Modestus.
- 5. H. Politus.

- 4. H. Serripes.
- 5. II. Taciturnus.
- 6. H. Fuscipalpis.






- 1. H. Subevlindricus.
- 2. H. Anxius.
- 5. H. Servus.

- 4. H. Flavitarsis.
- 5. H. Picipennis.
- 6. H. Brachypus.

J Delarue pinx.

Corbie se .




STENOLOPHUS.




- 1. S. Vaporariorum.
- 2. S. Discophorus.
- 3. S. Elegans.

- 4. S. Proximus.
- 5. S. Vespertinus.
- 6. S. Marginatus.



" men of 191. 2. "




- 1. A. Discicollis.
 - 2. A. Rufithorax.
 - 3. A. Cognatus.


- 4. A. Placidus.
- 5. A. Consputus
- 6. A. Ephippium.

J. Delarue pins.

Corbié sc.



ACUPALPUS.





- 1. A. Dorsalis.
- 2. A. Suturalis.
- 3. A. Atratus.

- 4. A. Pallipes.
- 5. A. Meridianus.
- 6. A. Nigriceps.

J. Delarue pine.

Corbie se







- 1. A. Luridus.
- 2. A. Exiguus.
- 3. A. Lusitanicus.
- 4. A. Distinctus.
- 5. A. Rufulus.
- 6. A. Harpalinus.

J. Delarue pina.

Corbie so.




HARPALIENS.




- 1. Acupalpus Collaris.
- 2. _____ Similis.
- 4. _____ Metallescens.
- 5. Geobænus Lateralis.
- 5. _____ Mauritanicus. 6. Tetragonoderus Viridicollis.

J. Delarue pina.

Corbie se



TRECHUS.




T. Discus.
 T. Littoralis.
 T. Micros.
 T. Paludosus


4. T. Paludosus.

5. T. Fulvus.

J. Delarue pins. Corbié se




TRECHUS.




- 1. T. Ochreatus. 3. T. Austriacus.
- 2. T. Rubens. 4. T. Rufulus.

5. T. Rivularis.

J. Delarue pinæ. Corbié se.




TRECHUS!




- 1. T. Subnotatus. 3. T. Bannaticus.
- 2. T. Palpalis. 4. T. Pyrenœus.

5. T. Alpinus.


J. Delarue pina. Corbié se



SUBULIPALPES.





- 1. Trechus croaticus.
- 2. ____ rotundatus
- 4. Trechus secalis.
- 5. ____ fulvescens
- 3. __ limacodes. 6. Lachnophorus rugosus.







- 1. B. Leachii.
- 2. B. Areolatum.
- 4. B. Scutellare.
- 5. B. Elongatulum.
- 3. B. Fulvicolle. 6. B. Bistriatum.






- 1. B. Rufescens.
- 2. B. Pumilio.
- 3. B. Silaceum.
- 4. B. Nanum'.
- 5. B. Quadrisignatum.
- 6. B. Angustatum.





- 1. B. Parvulum.
- 2 B. Hæmorrhoidale.
- 3. B. Globulum.
- 4. B. Pulicarium.
- 5. B. Undulatum.
- 6. B. Ustulatum.







- 1. B. Sibiricum.
- 2. B. Obliquum.
- 3. B. Fumigatum.
- 4. B. Pallidipenne.
- 5. B. Venustulum.
- 6. B. Laticolle.

I. Delarue pina


Corbié se.






- 1. B. Paludosum.
- 2. B. Impressum.
- 3. B. Foraminosum.
- 4. B. Orichaleieum.
- 5. B. Striatum.
- 6. B. Ruficolle.






- 1. B. Andreæ.
- 2. B. Bipunctatum.
- 3. B. Eques.

- 4. B. Tricolor.
- 5. B. Scapulare.
- 6 B. Conforme: .






- 1. B. Modestum.
- 2 . B. Ustum.
- 3. B. Lunatum.


- 4. B. Infuscatum.
- 5. B. Rupestre.
- 6. B. Fluviatile.





- 1. B. Cruciatum.
- 2. B. Hispanieum.
- 5. B. Femoratum.
- 4. B. Obsoletum.
- 5. B. Saxatile.
- 6. B. Oblongum.






- 1. B. Præustum.
- 2. B. Deletum.
- 5. B. Dentellum.

- 4. B. Hastii.
- 5. B. Pfeiffii.
- 6. B. Prasinum.






- 1. B. Felmanni.
- 2. B. Fasciolatum.
- 3. B. Cœruleum.
- 4. B. Tibiale
- 5. B. Decorum
- 6. B. Siculum.






- 1 B. Distinctum.
- 2. B. Perplexum.
- 3. B. Fuscicorne.
- 4. B. Brunnicorne.
- 5. B. Rufipes.
 - 6. B. Alpinum.

J. Delarue pina. Corbié so.






- 1. B. Sahlbergii.
- 2. B. Brunnipes.
 - 5. B. Stomoides.
- 4. B. Crenatum.
- 5. B. Dahlii.
- 6. B. Elongatum.




вемвютим.



- 1. B. Chalcopterum. 4. B. Celere.
- 2. B. Ambiguum. 5. B. Pyrenæum.
- 3. B. Nigricorne.

- 6. B. Sturmii.


J.Delarue pina. Corbié se.






- ı. B. Maculatum.
- 2. B. Rivulare.
- 4. B. Pusillum.
- 5. B. Kollari.
- 3. B. Normannum. 6. B. Mannerheimii.





- ı. B. Pulchrum.
- 2. B. Lepidum.
- 3. B. Doris.
- 4. B. Hypocrita.
- 5. B. Schüppelii.
- 6 B. Assimile.

and the second of the constant of the constant



- 1. B. Obtusum.
- 2. B. Guttula.
- 3. B. Biguttatum.
- 4. B. Vulneratum.
- 5: B. Quadriguttatum.
- 6. B. Laterale.





- 1. B. Quadripustulatum.
- 2. B. Quadrimaculatum.
- 3. B. Articulatum.
- 4. B. Picipes.
 - 5. B. Pallipes.
- 6. B. Flavipes.

